

Directional Panel Antenna

for 2.5~2.7GHz

Version 1

TP-2614

Electrical Specification:

Frequency	2.5~2.7GHz
Part Number	TP-2614
Polarization	Linear $\pm 90^\circ$
V.S.W.R.	1 : 1.5 Max
Impedance	50 OHMS $\pm 5\Omega$
Gain	14 dBi
Power handling	15W Max
Front to back ratio	30dB
HPBW / horizontal	40°
HPBW / vertical	20°

MECHANICAL SPECIFICATION

Connector Type	SMA Type Female *2
Length	270*205*15mm
Weight	320g
Radome color	Gray-white
Radome material	PC and ABS

Directional Panel Antenna

for 2.5~2.7GHz

Version 1


TP-2614

S11 FORWARD REFLECTION

LOG MAGNITUDE

REF=0.000 dB

10.000 dB/DIV



CH 1 - S11
REFERENCE PLANE
0.0000 mm

MARKER 1
2.500000000 GHz
-20.503 dB

MARKER TO MAX
MARKER TO MIN

2 2.600000000 GHz
-26.901 dB

3 2.700000000 GHz
-17.512 dB


MARKER READOUT
FUNCTIONS

S11 FORWARD REFLECTION

SWR

REF=0.000 pU

10.000 U/DIV



CH 1 - S11
REFERENCE PLANE
0.0000 mm

MARKER 1
2.500000000 GHz
1.287 U

MARKER TO MAX
MARKER TO MIN

2 2.600000000 GHz
1.087 U

3 2.700000000 GHz
1.297 U

MARKER READOUT
FUNCTIONS


Directional Panel Antenna

for 2.5~2.7GHz

Version 1

TP-2614

H-PLANE FIELD PATTERNS




Directional Panel Antenna

for 2.5~2.7GHz

Version 1

TP-2614

E-PLANE FIELD PATTERNS



Directional Panel Antenna

for 2.5~2.7GHz

Version 1

TP-2614

